





天一重工
Top Sky Equipment

LUFFING TL146A-10 (QTD146tm)



辽宁天一重工有限公司
Top Sky Industrial Equipment Co., Ltd.




⊗ Jib hinge shaft 臂根铰点 H: Height to Jib hinge shaft 到吊臂臂根铰点高度

载荷特性 Load Diagrams

工作半径		最大载荷		m/t							
Jib Radius		t	m	20.0	25.0	28.0	30.0	35.0	40.0	45.0	50.0
50m		5.0	32.4	5.00				4.60	3.71	3.03	2.50
		7.5	24.4	9.66	7.32	6.27	5.68	4.50	3.61	2.93	2.40
		10.0	19.4	7.50	7.22	6.17	5.58	4.40	3.51	2.83	2.30
45m		5.0	33.5	5.00				4.85	3.97	3.30	
		7.5	25.0	7.50		6.52	5.93	4.75	3.87	3.20	
		10.0	19.8	9.91	7.48	6.42	5.83	4.65	3.77	3.10	
40m		5.0	35.0	5.00				4.20			
		7.5	25.5	7.50		6.71	6.13	4.97	4.10		
		10.0	20.1	10.0	7.66	6.61	6.03	4.87	4.00		
35m		5.0	35.0	5.00							
		7.5	26.0	7.50		6.93	6.35	5.20			
		10.0	20.4	10.0	7.86	6.83	6.25	5.10			
30m		5.0	30.0	5.00							
		7.5	26.7	7.50		7.16	6.60				
		10.0	20.7	10.0	8.08	7.06	6.50				

4倍率 4-fall
 3倍率 3-fall
 2倍率 2-fall

塔身截面 Mast 1.6m x 1.6m / 2m x 2m



H: Height to Jib hinge shaft 到吊臂臂根铰点高度

F 反力 Reactions


■ 非工作状态 out of service
● 工作状态 in service

自重 self-load

不带载荷及配重, 最大臂长及标准高度时的自重

Without load and ballast with longest jib and self-weight in standard height.

内爬塔机 Climbing crane



	BA675	BA45A
A	16m-21m	12m
B	2m	1.6m
C	2.58m	2.31m
D	2.17m	1.77m
H	35m	27m
R1	30t	26t
R2	17t	13t
P	57.5t	46t

H: Height to Jib hinge shaft 到吊臂臂根铰点高度

附着示意图 (50米幅度) Anchorage 50m Jib Radius

1.6x1.6x3

H 47.4m 65.4m 83.4m 98.4m 113.4m

24m 39m 57m 72m 90m

12 11 6 2 1 18 17 11 6 2 1 24 22 16 11 6 2 1 28 21 16 11 6 2 1 33 26 21 16 11 6 2 1

※同我们协商 Consult us

2x2x3

68.4m 95.4m 122.4m 143.4m 170.4m

36m 60m 84m 111m 138m

19 18 10 2 1 28 17 10 2 1 37 26 17 10 2 1 44 35 26 17 10 2 1 53 43 35 26 17 10 2 1